

3,500+ products

*Sticking what matters since 2011.
Your trustful supplier is here.*



GST NA

MATERIAL CATALOG

2025



This catalog is only about the representative material that we use.
For more information about the products, please contact us.

We customize to your inquiry!
Personalizamos a su requisición!

ABOUT US

GST NA

Somos una empresa ubicada en Tijuana, y nos dedicamos a proveer de **componentes adhesivos** para el ensamble de aparatos electrónicos a nuestros compradores. **Iniciamos** nuestras operaciones en **marzo del 2011** y desde ahí no hemos parado de suministrar a nuestros clientes.

NO paramos ahí, nuestros productos están mas variados para **automóvil, equipos médicos, drones & aviones, y construcción.**



Hacemos **conversión** de los materiales autoadhesivos **en rollos, piezas y en formas especiales** por los requisitos de los clientes.



Specialized Tape

PET (POLYESTER) TAPE

PET TAPE DEMONSTRATES EXCELLENT DIMENSIONAL STABILITY, THERMAL STABILITY, CHEMICAL STABILITY, GOOD INSULATION PROPERTIES, GOOD ADHESION. IT CAN BE USED FOR BONDING, SPLICING, SEALING, MASKING, AND MOUNTING.



Customized COMBINATION
(Tape+Silicone/ Tape+Foam/ Tape+etc.) !
Customized LAMINATION !
Customized SHAPES !

Various COLOR !
Various THICKNESS !

Available size:

- Thickness: 0.025mm to 0.188mm (25um to 188um)
- Length: 20m, 50m, 100m (65ft, 164ft, 328ft) (21yd, 55yd, 109yd)
- Width: Min. 10mm - Max. 1,000mm (Min 2/5" – Max 40")
- Available on SINGLE PIECE, SHEET, and ROLL type

PET tape is used in many industries, including aerospace, automotive, electronics, and manufacturing.

Multipurpose Tape



DOUBLE SIDE TAPES

ACRYLIC Based
NON-WOVEN Based
FOAM Based
PSAs (Pressure Sensitive Adhesives)



3m TAPES

VHB
Double side tape
Masking
Others.

Multipurpose Tape



OPP HOLDING TAPES

Soft and leave no adhesive residue!

Various color options

Customized size for your needs




FILAMENT TAPE

Used to wrap heavy cardboard boxes, bundle heavy items together, and general reinforcement applications in both the industrial and consumer field.

3 *Silicone/Foam Tape*

We customize to your inquiry!
Personalizamos a su requisición!



SILICON/RUBBER (SILICONE PAD + ADHESIVE)


Consistent gap or channel
between the glass or panel and the
framing system

- Various color options
- Customize size for you



SPACER PET

- BLACK/GRAY/TRANSPARENT
- Customize size for you




PU(PolyUrethane) Foam **PE(PolyEthylene) Foam**

Cushioning, shock absorb, smooth gap
filling

- Various color options

Conductive Tapes




GASKET TAPE

ELECTROMAGNETIC INTERFERENCE
(SHIELDING)



EMI GASKET

ELECTROMAGNETIC INTERFERENCE
(SHIELDING)



Thermal Pad

Improve heat transfer between
a heat source.


Double side tape applied for attachment

-Non woven based

PolyCarbonate Insulating film

-UL94 Certified

-With various shapes



Engraving

-UL Certified Number

-Supplier Name

-Raw material name

PC(POLYCARBONATE) INSULATOR

ELECTRICAL INSULATOR, HEAT-RESISTANT AND FLAME- RETARDANT

Available size:

- Thickness: 0.43mm to 0.188mm(25um to 188um)
- Length: 20m,50m, 100m (65ft, 164ft, 328ft) (21yd, 55yd, 109yd)
- Width: Min. 10mm - Max. 1,000mm (Min 2/5" – Max 40")
- Available on Single piece, Sheet type, and Roll type

BUTYL RUBBER

ISOBUTYLENE-ISOPRENE RUBBER (IIR)

AVAILABLE IN VARIOUS **COLOR, SHAPE, ADHERENCE, ETC!**



Stick prevention sleeve protect from spreading out the butyl and stick together.

Superb sealant

It makes an excellent sealant against air, water, and dust migration.

Resilient and resistant

High resistance to acid and alkaline chemicals, ozone, heat, and weathering.

Temperature range

– 40°C to +140°C.

Versatility

Suitable for indoor and outdoor conditions. Applied across multiple industries such as electronics commercial, solar systems, automotive, and constructions.

NVH

Butyl rubber absorbs shocks and provides a decent NVH solution for machinery.

Aging properties

Butyle rubber roofing products have been shown to stay elastic and pliable *after 33 years.*



CONTACT US

rkim@gstna.com / sales@gstna.com

+1-858-524-9057 / +52-664-440-8931

Av. Aguila Azteca 19308-9, Col. Bajamaq El Aguila, Tijuana, BC 22215

The Power to Stick, The Strength to Last.

